

## Produktblad DENON DJ SC6000 PRIME

DENON DJ SC6000 PRIME The Ultimate Mainstage Media Player

Advanced Touchscreen Digital WorkflowNavigate, search and load extensive music libraries plus edit track lists with 'on-board' Crate management. Gesture manipulate large waveforms and scrub through overviews, while visualizing essential DJ workflow info. Also, execute internal analysis of previously unanalyzed music files directly within the SC6000 itself - just 'plug in & play out!'Limitless Performance FlexibilityExceed any previous DJ performance boundaries! The SC6000 is dual-layer capable, playing two separate tracks simultaneously. Its jog-wheel has an increased 8.5" 'hands-on' platter surface area for track cue, pitch and scratch manipulation. Add new rubber button, subtly lit and tactile feel trigger pads for more performance & mix creativity.Future Ready Media PlaybackWith dual output 24-bit, 96kHz digital audio quality, the SC6000 supports all major compressed and uncompressed music file formats including FLAC, ALAC and WAV. With built-in WiFi and wired internet connectivity, DJs can now stream music, standalone, from partnered services Beatport, Beatsource, Soundcloud and TIDAL.10.1 HD TouchscreenSearch, load, play and 'feel' your music with the industry's largest and most advanced multi-touch DJ workflow display. Interface and perform like never before!2-Players-in-1Mix and perform simultaneously with dual-layer audio tracks and via the SC6000's two independent analog/digital outputs.

Best in Class Time stretch Open Format, cross-BPM DJing perfection! Artifact free, sonically perfect audio reproduction, for pitch locked, extreme track tempo changes.8.5" Jog WheelNudge pitch, back-cue and scratch with the SC6000's 8.5" platter with selectable tension adjustment. View and customize center display track and logo artwork, changing platter LED ring colors too.Harmonic Mixing PerfectionThe SC6000's onboard musical keyshift and instant match feature enables beautifully harmonic DJ sets to be performed with ease. Create sonic textures with just the touch of a finger.Performance PadsTrigger Hot-Cues, engage Loop regions, Roll and Slice your beats with 8, responsive rubber performance pads now with sophisticated design illumination for improved club visibility.No Limits MediaHandle all digital music libraries and enable DJ 'hand-offs' with 3 x USB and 1 x SD media inputs. Travel with large terabyte music collections, accessing the SC6000's built-in internal HDD bay.

Specifications

- Audio
- Analog Output: 2.0 Vrms (0 dBFS, 1 kHz)
- Signal-to-Noise Ratio: 116 dB
- Distortion



(THD+N): </strong> < 0.0015% </li> <li> <strong> Frequency Range: </strong> 22–22,000 Hz </li> <li> <strong> Digital Output: </strong> <ul> <li> Sampling Rate: 96 kHz </li> <li> Bit Depth: 24-bit </li> </ul> </li> </ul> </ul> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"><ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Platter </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Diameter: </strong> 8.5" / 216mm (diameter) </li> <li> <strong> Material: </strong> Metal construction with display and touch-capacitive circuitry </li> </ul> </li> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"><ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Display </strong> <ul> <li> <strong> Main: </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> 10.1" / 257 mm (diagonal) </li> <li> 10.11" x 6.9" / 257 x 175 mm (width x height) </li> <li> Full-color LED-backlit display with touch interface </li> </ul> </li> </ul> <li> <strong> Platter: </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> 2.2" / 56 mm (diagonal) </li> <li> Full-color LED-backlit display </li> </ul> </li> </ul> </li> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"><ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Connections </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> (2) RCA output pairs </li> <li> (2) coaxial digital outputs </li> <li> (1) 1/8" (3.5 mm) mini TS input (remote start) </li> <li> (3) USB Type-A ports (for USB drives) (Rear-panel ports supply 900 mA for USB 3.0 devices, 500 mA for USB 2.0 devices. Front panel port supplies 500 mA for USB 2.0 devices only.) </li> <li> (1) USB Type-B port (for computer connection) </li> <li> (1) SD card slot </li> <li> (1) Ethernet link port </li> <li> (1) IEC power input </li> <li> (1) 2.5" SATA HD bay </li> </ul> </li> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"><ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Power </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Connection: </strong> Locking IEC </li> <li> <strong> Input Voltage: </strong> 110–240 VAC, 50/60 Hz </li> </ul> </li> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"><ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Dimensions (Width x Depth x Height) </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> 319.5mm X 463.3mm X 151.17mm </li> </ul> </li> </ul> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"><ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Weight (Without USB and Power Cable) </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> 5.8 kg </li> </ul> </li> </ul> </ul> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-none"> <li> <strong> Supported Media </strong> <ul class="grid-lg-2-col grid-sm-1-col inside-bullets padding-

none"> <li> <strong> Type: </strong> <ul> <li>  
SD/SDHC card </li> <li> USB mass-storage devices  
(flash memory, external HDD enclosures) </li> <li> 2.5"  
SATA hard drives </li> </ul> </li> <li> <strong> File  
Systems: </strong> <ul> <li> exFAT </li> <li> FAT32  
(recommended) </li> </ul> </li> <li> <strong> File  
Formats: </strong> <ul> <li> AAC/M4A </li> <li>  
AIF/AIFF (44.1–192 kHz, 16–32-bit) </li> <li> ALAC </li>  
<li> FLAC </li> <li> MP3 (32–320 kbps) </li> <li> MP4  
</li> <li> Ogg Vorbis </li> <li> WAV (44.1–192 kHz,  
16–32-bit) </li> </ul> </li> </ul> </li> </ul>

**XL4847260 DENON DJ SC6000 PRIME 19950 kr inklusive moms**

Lagerstatus: Ungefär 5 dagar